


Notice of Allowability



Application No.	Applicant(s)	
10/644,125	SUBRAMONIAM, RAJARAM	
Examiner	Art Unit	
Joseph Lauture	2819	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to correspondence filed 12/22/04.
2. ☒ The allowed claim(s) is/are 1-20.
3. ☒ The drawings filed on 09 January 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has **THREE MONTHS FROM THE "MAILING DATE"** of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in **ABANDONMENT** of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: the prior arts of record fail to teach an apparatus and method for generating a channelization code, comprising: a binary counter circuit that is arranged to receive a spreading factor signal and a clock signal, provide a binary count signal that is responsive to the clock signal, and reset the binary counter circuit when the binary count signal reaches a limit number that is associated with a spreading factor, wherein the spreading factor is associated with the spreading factor signal; a code logic circuit that is arranged to receive a code number signal and the spreading factor signal, and provide a right-justified code signal in response to the code number signal and the spreading factor signal, wherein the right-justified code signal corresponds to a right justified version of the code number signal; a register circuit that is arranged to receive the right-justified code signal and the clock signal, store the right-justified code signal in response to the clock signal, and provide the stored right-justified code signal as a stored code signal; and a channelization logic circuit that is arranged to receive the stored code signal and the binary count signal, and provide the channelization code in response to the stored code signal and the binary count signal such that the channelization code is associated with the code number and the spreading factor.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2819


CONTACT INFORMATION

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph Lauture, whose telephone number is (571) 272-1805. The examiner can normally be reached Monday to Friday between 9:30 am and 6:00 PM

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Tokar can be reached at (571) 272-1812. The fax number for the organization to which this application is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the group receptionist whose telephone number is (571) 272-1562.

Joseph Lauture
Art Unit: 2819
Date: 12/21/04


PEGUY JEANPIERRE
PRIMARY EXAMINER